SECTION I

ABBEON CAL INC 123 GRAY AVE SANTA BARBARA CA 93101 PH 805-966-0810

- H M I S -

HEALTH : 2 FLAMMABILITY : 3 REACTIVITY 0 PERSONAL PROJECT. : X

(HAZARD RATING : 0=least, 1=slight, 2=moderate, 3=high, 4=extreme, *=chronic) (X = ask your supervisor for specialized handling directions)

SECTION II-A			HAZARDOUS COMPONENTS				
Colors	no.	component	CAS#	% by wt.	SARA	vapor pressure (mm Hg @20C)	LEL (@25 C)
LT BLUE BLUE ORANGE GRAY WHITE YELLOW PINK	1 2 3 4	XYLENE ETHYL BENZENE ROSIN, MALEATED WITH GLYCEROL ESTER HYDROGENATED HYDROCARBIN RESIN	1330-20-7 100-41-4 68038-41-5 69430-35-9	35 - 40 5 - 10 10 - 15 20 - 25	YES YES NO NO	6.00 7.00 N/A N/A	1.10 1.00 N/A N/A
VIOLET GREEN LT GREEN BROWN	1 2 3 4 5	XYLENE ETHYL BENZENE ROSIN, MALEATED WITH GLYCEROL ESTER HYDROGENATED HYDROCARBIN RESIN BROWN IRON OXIDE (BROWN ONLY)	1330-20-7 100-41-4 68038-41-5 69430-35-9 52357-70-7	35 - 40 5 - 10 10 - 15 25 - 30 1 - 5	YES YES NO NO NO	6.00 7.00 N/A N/A N/A	1.10 1.00 N/A N/A N/A
RED BLACK	1 2 3 4 5	XYLENE ETHYL BENZENE ROSIN, MALEATED WITH GLYCEROL ESTER HYDROGENATED HYDROCARBIN RESIN CARBON BLACK (BLACK ONLY)	1330-20-7 100-41-4 68038-41-5 69430-35-9 1333-86-4	40 - 45 5 - 10 10 - 15 25 - 30 5 - 10	YES YES NO NO NO	6.00 7.00 N/A N/A N/A	1.10 1.00 N/A N/A N/A
SILVER GOLD	1 2 3 4 5 6 7 8 9	XYLENE ETHYL BENZENE ROSIN, MALEATED WITH GLYCEROL ESTER HYDROGENATED HYDROCARBIN RESIN ALUMINA (SILVER ONLY) STODDARD SOLVENT (SILVER ONLY) COPPER (GOLD ONLY) ZINC (GOLD ONLY) MINERAL SPIRITS (GOLD ONLY)	1330-20-7 100-41-4 68038-41-5 69430-35-9 7429-90-5 8052-41-3 7440-50-8 7440-66-6 64742-88-7	$\begin{array}{c} 35 &- & 40 \\ 5 &- & 10 \\ 10 &- & 15 \\ 20 &- & 25 \\ 10 &- & 15 \\ 1 &- & 5 \\ 10 &- & 15 \\ 1 &- & 5 \\ 1 &- & 5 \\ 1 &- & 5 \\ 1 &- & 5 \end{array}$	YES YES NO YES NO YES YES NO	6.00 7.00 N/A N/A .01 N/A N/A 2.60	1.10 1.00 N/A N/A 1.10 N/A N/A .90

None of the components of this product are recognized as carcinogenic.
Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR Part 372, chemicals listed on the Section 313 List (40 CFR Part 372.65) are identified under the heading 'SARA 313'.
PROPOSITION 65: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

(N/A = not applicable)

CTION II-B	OCCUPATIONAL	OCCUPATIONAL EXPOSURE LIMITS		
no. (OSHA) PEL/TWA	PEL/CEILING	PEL/STEL	skin	
1 100 ppm	N/E	N/E	N/E	
2 100 ppm	N/E	N/E	N/E	
3 N/E	N/E	N/E	N/E	
4 5 ^{MG/M3}	N/E	N/E	N/E	
no. (ACGIH) TLV/TWA	TLV/CEILING	TLV/STEL	skin	
1 100 ppm	N/E	150 ppm	N/E	
2 100 ppm	N/E	125 ppm	N/E	
3 N/E	N/E	N/E	N/E	
4 N/E	N/E	N/E	N/E	

. The dried film of this product may become a dust nuisance when removed by sanding or grinding. OSHA recommends a PEL/TWA of 15 mg/m3 for total dust and 5 mg/m3 for the respirable fraction. ACGIH recommends a TLV/TWA of 10 mg/m3 for total dust.

>> (SKIN) absorption may contribute to the overall exposure to this material. Take appropriate measures to prevent skin contact.

SECTION III	PHYSICAL DATA			
Color	% volatile by volume	% volatile by weight ± 2%	weight per gallon ±.2	VOC as supplied # pounds per gallon
LT BLUE	53.20	41.87	9.21	3.8559.
BLUE	54.21	43.95	8.94	3.9293
ORANGE	54.29	46.03	8.55	3.9351
GRAY	54.09	42.78	9.17	3.9219
WHITE	54.36	42.34	9.31	3.9401
YELLOW	52.12	38.78	9.74	3.7776
PINK	53.20	41.87	9.21	3.8559
VIOLET	53.40	44.95	8.61	3.8708
GREEN	54.31	45.84	8.59	3.9363
LT GREEN	53.63	45.70	8.50	3.8870
BROWN	54.81	47.11	8.43	3.9732
RED	54.50	47.30	8.35	3.9505
BLACK	54.38	47.27	8.34	3.9433
SILVER	58.20	49.14	8.50	4.1775
GOLD	58.68	45.89	9.21	4.2268

(N/E = not established)

SECTION IV

HEALTH INFORMATION

LT BLUE, BLUE, ORANGE, GRAY, WHITE, YELLOW, PINK, VIOLET, GREEN, LT GREEN, BROWN, RED

EYE CONTACT

BASED ON THE PRESENCE OF COMPONENT 2 PRODUCT IS PRESUMED TO BE MODERATELY IRRITATING TO THE EYES. EXPOSURE MAY CAUSE CORNEAL INJURY. BASED ON THE PRESENCE OF COMPONENTS 1 AND 2, PRODUCT VAPORS MAY ALSO BE IRRITATING TO THE EYES.

SKIN CONTACT

BASED ON THE PRESENCE OF COMPONENT 2 PRODUCT IS PRESUMED TO BE MODERATELY IRRITATING TO THE SKIN. PROLONGED CONTACT MAY CAUSE DAMAGE TO THE SKIN. BASED ON THE PRESENCE OF COMPONENT 2 ABSORPTION THROUGH THE SKIN MAY RESULT IN SYMPTOMS OF EXPOSURE AS THOSE DESCRIBED FOR INHALATION AND INGESTION. BASED ON THE PRESENCE OF COMPONENT 1 PROLONGED OR REPEATED CONTACT MAY RESULT IN DEFATTING AND DRYING OF THE SKIN WHICH MAY RESULT IN DERMATITIS.

INHALATION

EXPOSURE MAY PRODUCE IRRITATION TO THE NOSE, THROAT, RESPIRATORY TRACT, AND OTHER MUCOUS MEMBRANES. BASED ON THE PRESENCE OF COMPONENTS 1 AND 2 EXPOSURE TO HIGH CONCENTRATIONS OF VAPOR MAY PRODUCE CENTRAL NERVOUS SYSTEM DEPRESSION. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

INGESTION

BASED ON THE PRESENCE OF COMPONENTS 1 AND 2, PRODUCT IS PRESUMED TO BE SLIGHTLY TOXIC. BASED ON THE PRESENCE OF COMPONENT 1 SMALL AMOUNTS OF THE LIQUID ASPIRATED INTO THE LUNGS DURING INGESTION OR FROM VOMITING MAY RESULT IN SEVERE LUNG DAMAGE. BASED ON THE PRESENCE OF COMPONENT 1 INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION.

SIGNS AND SYMPTOMS

EYE, SKIN, RESPIRATORY, AND GASTRO-INTESTINAL IRRITATION AS NOTED ABOVE. BASED ON THE PRESENCE OF COMPONENT 1 CENTRAL NERVOUS SYSTEM DEPRESSION MAY BE EVIDENCED BY HEADACHE, DIZZINESS, NAUSEA AND SYMPTOMS OF INTOXICATION; IN EXTREME CASES, UNCONSCIOUSNESS AND DEATH MAY OCCUR.

AGGRAVATED MEDICAL CONDITIONS

PREEXISTING SKIN, EYE AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. IMPAIRED CENTRAL NERVOUS SYSTEM FUNCTIONS FROM PREEXISTING DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

OTHER HEALTH EFFECTS

BASED ON THE PRESENCE OF COMPONENT 2 "WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER."

BLACK

EYE CONTACT

BASED ON THE PRESENCE OF COMPONENT 2 PRODUCT IS PRESUMED TO BE MODERATELY IRRITATING TO THE EYES. EXPOSURE MAY CAUSE CORNEAL INJURY. BASED ON THE PRESENCE OF COMPONENTS 1 AND 2, PRODUCT VAPORS MAY ALSO BE IRRITATING TO THE EYES.

SKIN CONTACT

BASED ON THE PRESENCE OF COMPONENT 2 PRODUCT IS PRESUMED TO BE MODERATELY IRRITATING TO THE SKIN. PROLONGED CONTACT MAY CAUSE DAMAGE TO THE SKIN. BASED ON THE PRESENCE OF COMPONENT 2 ABSORPTION THROUGH THE SKIN MAY RESULT IN SYMPTOMS OF EXPOSURE AS THOSE DESCRIBED FOR INHALATION AND INGESTION. BASED ON THE PRESENCE OF COMPONENT 1 PROLONGED OR REPEATED CONTACT MAY RESULT IN DEFATTING AND DRYING OF THE SKIN WHICH MAY RESULT IN DERMATITIS.

INHALATION

EXPOSURE MAY PRODUCE IRRITATION TO THE NOSE, THROAT, RESPIRATORY TRACT, AND OTHER MUCOUS MEMBRANES. BASED ON THE PRESENCE OF COMPONENTS 1 AND 2 EXPOSURE TO HIGH CONCENTRATIONS OF VAPOR MAY PRODUCE CENTRAL NERVOUS SYSTEM DEPRESSION. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

INGESTION

BASED ON THE PRESENCE OF COMPONENTS 1 AND 2, PRODUCT IS PRESUMED TO BE SLIGHTLY TOXIC. BASED ON THE PRESENCE OF COMPONENT 1 SMALL AMOUNTS OF THE LIQUID ASPIRATED INTO THE LUNGS DURING INGESTION OR FROM VOMITING MAY RESULT IN SEVERE LUNG DAMAGE. BASED ON THE PRESENCE OF COMPONENT 1 INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION.

SIGNS AND SYMPTOMS

EYE, SKIN, RESPIRATORY, AND GASTRO-INTESTINAL IRRITATION AS NOTED ABOVE. BASED ON THE PRESENCE OF COMPONENT 1 CENTRAL NERVOUS SYSTEM DEPRESSION MAY BE EVIDENCED BY HEADACHE, DIZZINESS, NAUSEA AND SYMPTOMS OF INTOXICATION; IN EXTREME CASES, UNCONSCIOUSNESS AND DEATH MAY OCCUR.

AGGRAVATED MEDICAL CONDITIONS

PREEXISTING SKIN, EYE AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. IMPAIRED CENTRAL NERVOUS SYSTEM FUNCTIONS FROM PREEXISTING DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

OTHER HEALTH EFFECTS

BASED ON THE PRESENCE OF COMPONENT 5 CHRONIC OVEREXPOSURE MAY CAUSE DAMAGE TO THE LUNGS. BASED ON THE PRESENCE OF COMPONENT 2 "WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER."

SILVER

EYE CONTACT

BASED ON THE PRESENCE OF COMPONENT 2 PRODUCT IS PRESUMED TO BE MODERATELY IRRITATING TO THE EYES. EXPOSURE MAY CAUSE CORNEAL INJURY. BASED ON THE PRESENCE OF COMPONENTS 1, 2, AND 6 PRODUCT VAPORS MAY ALSO BE IRRITATING TO THE EYES.

SKIN CONTACT

BASED ON THE PRESENCE OF COMPONENTS 2 AND 6 PRODUCT IS PRESUMED TO BE MODERATELY IRRITATING TO THE SKIN. PROLONGED CONTACT MAY CAUSE DAMAGE TO THE SKIN. BASED ON THE PRESENCE OF COMPONENT 2 ABSORPTION THROUGH THE SKIN MAY RESULT IN SYMPTOMS OF EXPOSURE AS THOSE DESCRIBED FOR INHALATION AND INGESTION. BASED ON THE PRESENCE OF COMPONENTS 1 AND 6 PROLONGED OR REPEATED CONTACT MAY RESULT IN DEFATTING AND DRYING OF THE SKIN WHICH MAY RESULT IN DERMATITIS.

INHALATION

EXPOSURE MAY PRODUCE IRRITATION TO THE NOSE, THROAT, RESPIRATORY TRACT, AND OTHER MUCOUS MEMBRANES. BASED ON THE PRESENCE OF COMPONENTS 1, 2 AND 6 EXPOSURE TO HIGH CONCENTRATIONS OF VAPOR MAY PRODUCE CENTRAL NERVOUS SYSTEM DEPRESSION. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL. BASED ON THE PRESENCE OF COMPONENT 6 EXPOSURE MAY PRODUCE IRRITATION TO THE NOSE, THROAT, RESPIRATORY TRACT AND OTHER MUCOUS MEMBRANES.

SECTION IV CONTINUED

HEALTH INFORMATION

SILVER CONTINUED

INGESTION

BASED ON THE PRESENCE OF COMPONENTS 1 AND 2, PRODUCT IS PRESUMED TO BE SLIGHTLY TOXIC. BASED ON THE PRESENCE OF COMPONENT 1 SMALL AMOUNTS OF THE LIQUID ASPIRATED INTO THE LUNGS DURING INGESTION OR FROM VOMITING MAY RESULT IN SEVERE LUNG DAMAGE. BASED ON THE PRESENCE OF COMPONENT 1 INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION.

SIGNS AND SYMPTOMS

EYE, SKIN, RESPIRATORY, AND GASTRO-INTESTINAL IRRITATION AS NOTED ABOVE. BASED ON THE PRESENCE OF COMPONENTS 1 AND 6, CENTRAL NERVOUS SYSTEM DEPRESSION MAY BE EVIDENCED BY HEADACHE, DIZZINESS, NAUSEA AND SYMPTOMS OF INTOXICATION; IN EXTREME CASES, UNCONSCIOUSNESS AND DEATH MAY OCCUR.

AGGRAVATED MEDICAL CONDITIONS

PREEXISTING SKIN, EYE AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. IMPAIRED CENTRAL NERVOUS SYSTEM FUNCTIONS FROM PREEXISTING DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

OTHER HEALTH EFFECTS

BASED ON THE PRESENCE OF COMPONENT 2 "WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER."

GOLD

EYE CONTACT

BASED ON THE PRESENCE OF COMPONENT 2 PRODUCT IS PRESUMED TO BE MODERATELY IRRITATING TO THE EYES. EXPOSURE MAY CAUSE CORNEAL INJURY. BASED ON THE PRESENCE OF COMPONENTS 1, 2, AND 7, PRODUCT VAPORS MAY ALSO BE IRRITATING TO THE EYES.

SKIN CONTACT

BASED ON THE PRESENCE OF COMPONENT 2 PRODUCT IS PRESUMED TO BE MODERATELY IRRITATING TO THE SKIN. PROLONGED CONTACT MAY CAUSE DAMAGE TO THE SKIN. BASED ON THE PRESENCE OF COMPONENT 2 ABSORPTION THROUGH THE SKIN MAY RESULT IN SYMPTOMS OF EXPOSURE AS THOSE DESCRIBED FOR INHALATION AND INGESTION. BASED ON THE PRESENCE OF COMPONENT 1 AND 7 PROLONGED OR REPEATED CONTACT MAY RESULT IN DEFATTING AND DRYING OF THE SKIN WHICH MAY RESULT IN DERMATITIS.

INHALATION

EXPOSURE MAY PRODUCE IRRITATION TO THE NOSE, THROAT, RESPIRATORY TRACT, AND OTHER MUCOUS MEMBRANES. BASED ON THE PRESENCE OF COMPONENTS 1, 2 AND 7 EXPOSURE TO HIGH CONCENTRATIONS OF VAPOR MAY PRODUCE CENTRAL NERVOUS SYSTEM DEPRESSION. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

INGESTION

BASED ON THE PRESENCE OF COMPONENTS 1, 2, 5 AND 7 PRODUCT IS PRESUMED TO BE SLIGHTLY TOXIC. BASED ON THE PRESENCE OF COMPONENT 5 INGESTION MAY CAUSE RED BLOOD CELL HEMOLYSIS LEADING TO KIDNEY AND LIVER DAMAGE. BASED ON THE PRESENCE OF COMPONENTS 1 AND 7 SMALL AMOUNTS OF THE LIQUID ASPIRATED INTO THE LUNGS DURING INGESTION OR FROM VOMITING MAY RESULT IN SEVERE LUNG DAMAGE. BASED ON THE PRESENCE OF COMPONENT 1 AND 7 INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION.

SIGNS AND SYMPTOMS

EYE, SKIN, RESPIRATORY, AND GASTRO-INTESTINAL IRRITATION AS NOTED ABOVE. BASED ON THE PRESENCE OF COMPONENT 1 AND 7 CENTRAL NERVOUS SYSTEM DEPRESSION MAY BE EVIDENCED BY HEADACHE, DIZZINESS, NAUSEA AND SYMPTOMS OF INTOXICATION; IN EXTREME CASES, UNCONSCIOUSNESS AND DEATH MAY OCCUR.

AGGRAVATED MEDICAL CONDITIONS

PREEXISTING SKIN, EYE AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. IMPAIRED CENTRAL NERVOUS SYSTEM FUNCTIONS FROM PREEXISTING DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

OTHER HEALTH EFFECTS

BASED ON THE PRESENCE OF COMPONENT 5 CHRONIC OVEREXPOSURE MAY CAUSE INJURY TO THE KIDNEYS AND LIVER. BASED ON THE PRESENCE OF COMPONENT 5 CHRONIC OVEREXPOSURE MAY CAUSE DAMAGE TO THE RED BLOOD CELLS. BASED ON THE PRESENCE OF COMPONENT 2 "WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER."

SECTION V	EMERGENCY AND FIRST AID PROCEDURES
ALL COLORS	

EYE CONTACT

IMMEDIATELY FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF ANY SYMPTOMS PERSIST.

SKIN CONTACT

REMOVE CONTAMINATED CLOTHING AND SHOES. WIPE EXCESS FROM SKIN AND FLUSH WITH WATER USING SOAP IF AVAILABLE. SEEK MEDICAL ATTENTION IF IRRITATION OCCURS. DO NOT REUSE CLOTHING UNTIL THOROUGHLY DECONTAMINATED.

INHALATION

REMOVE VICTIM TO FRESH AIR AND TREAT SYMPTOMATICALLY. PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF THE VICTIM IS NOT BREATHING. SEEK PROMPT MEDICAL ATTENTION.

INGESTION

DO NOT INDUCE VOMITING. IF VOMITING SPONTANEOUSLY OCCURS, KEEP THE VICTIM'S HEAD BELOW THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS. SINCE ASPIRATION INTO THE LUNGS CAN CAUSE VERY SERIOUS, PERMANENT DAMAGE, THE DECISION OF WHETHER TO INDUCE VOMITING OR NOT SHOULD BE MADE BY A PHYSICIAN. HOSPITAL OR POISON CONTROL CENTER AND/OR TRANSPORT TO AN EMERGENCY FACILITY IMMEDIATELY.

>> COMPONENT 1 MAY CAUSE SEVERE, PERMANENT DAMAGE IF ASPIRATED AND VOMITING SHOULD NOT BE INDUCED.

GOLD

COMPONENTS 1 AND 9 MAY CAUSE SEVERE, PERMANENT DAMAGE IF ASPIRATED AND VOMITING SHOULD NOT BE INDUCED.

SECTION VI	FIRE AND EXPLOSION HAZARDS		
ALL COLORS			
flammability classification	- OSHA : FLAMMABLE LIQUID - CLAS - DOT : FLAMMABLE LIQUID	IS IC	
flash point : 81 ±2 degrees F.			
WARNING. FLAMMABLE. CLEA		AL FIRE FIGHTING PROCEDURES AND PRECAUTIONS INEL. DO NOT ENTER CONFINED FIRE SPACE WITHOUT HELMET, FACE SHIELD, BUNKER COAT, GLOVES ONTAINED BREATHING APPARATUS.	
	FENSE HEAT FROM FIRES SHOULD BE CO	OOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILDUP WHICH COULD RESULT IN CONTAINER SHOULD BE COOLED WITH LARGE QUANTITIES OF WATER AS NEEDED TO PREVENT WEAKENING OF	
SECTION VII		REACTIVITY	
ALL COLORS EXCEPT GOLD A	ND SILVER		
STABILITY: STABLE		HAZARDOUS POLYMERIZATION : WILL NOT OCCUR	
CONDITIONS AND MATERIALS BASED ON THE PRESENCE OF	5 TO AVOID COMPONENTS 1 AND 2, AVOID OXIDIZII	NG MATERIALS.	
HAZARDOUS DECOMPOSITION CARBON DIOXIDE, CARBON M		COMPOUNDS MAY BE FORMED DURING COMBUSTION.	
SILVER			
STABILITY: STABLE		HAZARDOUS POLYMERIZATION : WILL NOT OCCUR	
PRESENCE OF COMPONENT 5 OF COMPONENT 5 AVOID GRO HAZARDOUS DECOMPOSITION	COMPONENTS 1, 2, 5 6 AVOID OXIDIZIN AVOID STRONG ALKALIES. BASED ON TI DSS WATER CONTAMINATION.	NG MATERIALS. BASED ON THE PRESENCE OF COMPONENT 5 AVOID STRONG ACIDS. BASED ON THE HE PRESENCE OF COMPONENT 5 AVOID LEAD, COPPER, AND THEIR ALLOYS. BASED ON THE PRESENCE	
GOLD	UNOXIDE AND UNIDENTIFIED ORGANIC	COMPOUNDS MAY BE FORMED DURING COMBUSTION.	
STABILITY: STABLE		HAZARDOUS POLYMERIZATION : WILL NOT OCCUR	
		KIDIZING MATERIALS. BASED ON THE PRESENCE OF COMPONENT 8 AVOID STRONG ACIDS. BASED ON ITION.	
HAZARDOUS DECOMPOSITION CARBON DIOXIDE, CARBON M		COMPOUNDS MAY BE FORMED DURING COMBUSTION.	
SECTION VIII	ALL COLORS	EMPLOYEE PROTECTION	
RESPIRATORY PROTECTION AVOID PROLONGED OR REPEA PREVENT OVEREXPOSURE.	TED BREATHING OF VAPORS/MIST. IF E	XPOSURE EXCEEDS TLV USE A NIOSH-APPROVED POSITIVE PRESSURE SUPPLIED AIR RESPIRATOR TO	
PROTECTIVE CLOTHING AVOID CONTACT WITH EYES.	WEAR GOGGLES IF THERE IS A LIKELIHO	OD OF CONTACT WITH EYES. DO NOT GET ON SKIN OR ON CLOTHING.	
ADDITIONAL PROTECTIVE ME USE VENTILATION AS REQUIRI EMERGENCY.		TRATIONS. EYE WASH FOUNTAINS AND SAFETY SHOWERS SHOULD BE AVAILABLE FOR USE IN AN	
SECTION IX	ALL COLORS	ENVIRONMENTAL PROTECTION	
LEAK ONLY IF SAFE TO DO SO TRUCKS OR PUMP TO STORAG CONTAINERS FOR PROPER DIS	. DIKE AND CONTAIN. IF VAPOR CLOUD GE/SALVAGE VESSELS. SOAK UP RESIDUE POSAL. FLUSH AREA WITH WATER TO R	ERSONNEL. WEAR APPROPRIATE RESPIRATOR AND PROTECTIVE CLOTHING. SHUT OFF SOURCE OF) FORMS, WATER FOG MAY BE USED TO SUPPRESS: CONTAIN RUN-OFF. REMOVE WITH VACUUM E WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL; PLACE IN NON-LEAKING EMOVE TRACE RESIDUE; DISPOSE OF FLUSH SOLUTIONS AS ABOVE. SMALL SPILLS >> TAKE UP WITH S; SEAL TIGHTLY FOR PROPER DISPOSAL.	
	ER(S) MUST BE IN COMPLIANCE WITH AL	AWS ARE THE SOLE RESPONSIBILITY OF THE END USER. ALL DISPOSAL PRACTICES USED FOR THIS LL FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS. THE INFORMATION PRESENTED IN THIS	

SECTION XALL COLORSADDITIONAL PRECAUTIONSKEEP LIQUID AND VAPOR AWAY FROM HEAT, SPARKS, AND FLAME. EXTINGUISH PILOT LIGHTS, CIGARETTES AND TURN OFF OTHER POSSIBLE SOURCES OF IGNITION
PRIOR TO USE AND UNTIL VAPORS ARE GONE. SURFACES THAT ARE SUFFICIENTLY HOT MAY IGNITE PRODUCT IN THE ABSENCE OF SPARKS OR FLAME. VAPORS MAY
ACCUMULATE AND TRAVEL TO IGNITION SOURCES DISTANT FROM HANDLING SITE. KEEP CONTAINERS CLOSED WHEN NOT IN USE. USE WITH ADEQUATE VENTILATION.
CONTAINERS, EVEN IF EMPTY, CAN CONTAIN EXPLOSIVE VAPORS. DO NOT CUT, DRILL, GRIND, OR WELD NEAR CONTAINERS.

CONTAINERS CAN CONTAIN HAZARDOUS PRODUCT RESIDUES EVEN WHEN EMPTY. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.