

SAFETY DATA SHEET

Issuing Date 25-Jul-2018

Revision Date 26-Jul-2018

Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

| GHS product identifier | |
|---------------------------------|---|
| Product Name | AB15 Industrial Paint Marker/100P FL/ 130P Broad Tip Industrial Paint Marker - Silver and Gold |
| Other means of identification | |
| Product Code(s) | 100P #10210 Silver, #10214 Gold, 100P FL #10210FL Silver, #10214FL Gold, 130P #13010 Silver, #13014 Gold |
| UN-Number | UN1210 |
| Synonyms | None |
| Recommended use of the chemical | and restrictions on use |
| Recommended Use | Solvent based marker |
| Uses advised against | Keep away from children. Not for use on skin. |
| | |

Abbeon Cal, Inc.,

1363 Donlon Street Unit 1, Ventura, CA 93003-8387 800-922-0977 www.Abbeon.com E-mail: abbeoncal@abbeon.com

2. HAZARDS IDENTIFICATION

Classification

This product is an article as defined by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200), Canada WHMIS 2015, which includes the amended Hazardous Products Act (HPA) and the Hazardous Product Regulations (HPR), and Mexico's NMX-R-019-SC-2011. No exposure to hazardous chemicals is expected to occur during intended product use. Misuse of the product may result in exposure to hazardous chemicals.

Label Elements

Signal Word None

> Abbeon Cal, Inc., 1363 Donlon Street Unit 1, Ventura, CA 93003-8387 800-922-0977 www.Abbeon.com E-mail: abbeoncal@abbeon.com

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

- Prevention
- None

General Advice

None

Storage

- None
- Disposal
- None

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|---|----------|----------|---|---|
| n-Butyl acetate | 123-86-4 | 40-50 | - | - |
| Ethyl acetate | 141-78-6 | 35-45 | - | - |
| Propylene glycol monomethyl ether acetate | 108-65-6 | 0-5 | - | - |

4. FIRST AID MEASURES

Description of necessary first-aid measures

| General Advice | Under normal conditions of use first aid is not required. | | |
|--|---|--|--|
| Eye Contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or Poison Control Center immediately. | | |
| Skin Contact | Wash skin with soap and water. Get medical attention if irritation develops and persists. | | |
| Inhalation | If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. | | |
| Ingestion | IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. | | |
| Most important symptoms/effects, acute and delayed | | | |
| Most Important Symptoms/Effects | None known | | |
| Indication of immediate medical attention and special treatment needed, if necessary | | | |
| Notes to Physician | Treat symptomatically. | | |
| 5. FIRE-FIGHTING MEASURES | | | |
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | | |
| Unsuitable Extinguishing Media | None | | |

| | The introduction of in this product is flow mobile but not readily invited | | |
|--|--|--|--|
| Specific Hazards Arising from the Chemical | The ink contained in this product is flammable but not readily ignited. | | |
| Explosion Data | | | |
| Sensitivity to Mechanical Impac | | | |
| Sensitivity to Static Discharge | None. | | |
| Protective Equipment and | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH | | |
| Precautions for Firefighters | (approved or equivalent) and full protective gear. | | |
| | | | |
| | 6. ACCIDENTAL RELEASE MEASURES | | |
| Personal precautions, protective eq | uipment and emergency procedures | | |
| Personal Precautions | Remove all sources of ignition. | | |
| | | | |
| Environmental Precautions | | | |
| Environmental Precautions | Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information. | | |
| Methods and materials for containment and cleaning up | | | |
| | | | |
| Methods for Containment | None required. | | |
| Methods for Cleaning Up | Pick up and transfer to properly labeled containers. | | |
| | 7. HANDLING AND STORAGE | | |
| Precautions for safe handling | | | |
| Handling | Keep away from open flames, hot surfaces and sources of ignition. | | |
| Conditions for safe storage, including any incompatibilities | | | |
| Storage | Store in a well-ventilated place. Keep cool. | | |
| Incompatible Products | None known based on information supplied. | | |
| 8. EXPOSURE CONTROLS / PERSONAL PROTECTION | | | |

Control parameters

Exposure Guidelines

The following exposure limits are provided for information only; exposure is not expected under normal conditions of use or storage.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------|---------------|---------------------------------------|-----------------------------|
| n-Butyl acetate | STEL: 150 ppm | TWA: 150 ppm | IDLH: 1700 ppm |
| 123-86-4 | TWA: 50 ppm | TWA: 710 mg/m ³ | TWA: 150 ppm |
| | | (vacated) TWA: 150 ppm | TWA: 710 mg/m ³ |
| | | (vacated) TWA: 710 mg/m ³ | STEL: 200 ppm |
| | | (vacated) STEL: 200 ppm | STEL: 950 mg/m ³ |
| | | (vacated) STEL: 950 mg/m ³ | - |
| Ethyl acetate | TWA: 400 ppm | TWA: 400 ppm | IDLH: 2000 ppm |
| 141-78-6 | | TWA: 1400 mg/m ³ | TWA: 400 ppm |
| | | (vacated) TWA: 400 ppm | TWA: 1400 mg/m ³ |
| | | (vacated) TWA: 1400 mg/m ³ | - |

Appropriate engineering controls

Engineering Measures

None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection No protective equipment is needed under normal use conditions. No protective equipment is needed under normal use conditions. No protective equipment is needed under normal use conditions.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Liquid. Mild. | Appearance Odor Threshold | Varies. No information available. |
|---|---|--|
| Values No data available No data available 96 °C / 205 °F 23 °C / 73 °F No data available No data available 13.5% 2.1% No data available No data available | Remarks/ - N None known None known (Liquid Ink onl None known None known None known None known None known None known None known None known None known None known | |
| No data available Highly flammable. No data available No data available No data available | None known | |
| | Mid. Values No data available No data available 96 °C / 205 °F 23 °C / 73 °F No data available No data available 13.5% 2.1% No data available No data available | Mild. Odor Threshold Values Remarks/ - M No data available None known No data available None known 96 °C / 205 °F None known 23 °C / 73 °F (Liquid Ink oni No data available None known No data available None known No data available None known 13.5% 2.1% No data available None known No data available None |

10. STABILITY AND REACTIVITY

| Reactivity | No data available. |
|------------------------------------|---|
| Chemical stability | Stable under recommended storage conditions. |
| Possibility of hazardous reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | None known based on information supplied. |
| Hazardous decomposition products | Thermal decomposition can lead to release of irritating gases and vapors. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. |
|---------------------|---|
| Inhalation | None under normal use condtions |
| Eye Contact | None under normal use conditions. |
| Skin Contact | None under normal use conditions. |
| Ingestion | None under normal use conditions. |

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document: Not applicable

Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|---------------------|--|---------------------|
| n-Butyl acetate | = 10768 mg/kg (Rat) | > 17600 mg/kg (Rabbit) | = 390 ppm (Rat)4 h |
| Ethyl acetate | = 5620 mg/kg (Rat) | > 20 mL/kg (Rabbit)> 18000 mg/kg (Rabbit) | = 4000 ppm (Rat)4 h |
| Propylene glycol monomethyl ether acetate | = 8532 mg/kg (Rat) | > 5 g/kg (Rabbit) | - |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

None under normal use.

Delayed and immediate effects and also chronic effects from short and long term exposure

| Respiratory or Skin Sensitization | No information available |
|-----------------------------------|--|
| Germ Cell Mutagenicity | No information available |
| Carcinogenicity | Contains no ingredient listed as a carcinogen. |

| Reproductive Toxicity | No information available |
|--------------------------|---------------------------|
| STOT - single exposure | No information available |
| STOT - repeated exposure | No information available |
| Aspiration Hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity Not Applicable

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|--|---|--|--|---|
| n-Butyl acetate 123-86-4 | EC50 72 h: = 674.7 mg/L (Desmodesmus subspicatus) | LC50 96 h: 17 - 19 mg/L flow-through (Pimephales promelas) LC50 96 h: = 100 mg/L static (Lepomis macrochirus) LC50 96 h: = 62 mg/L static (Leuciscus idus) | EC50 = 70.0 mg/L 5 min EC50 = 82.2 mg/L 15 min EC50 = 959 mg/L 18 h EC50 = 98.9 mg/L 30 min | EC50 24 h: = 72.8 mg/L (Daphnia magna) |
| Ethyl acetate 141-78-6 | EC50 48 h: = 3300 mg/L (Desmodesmus subspicatus) | LC50 96 h: 220 - 250 mg/L flow-through (Pimephales promelas) LC50 96 h: 352 - 500 mg/L semi-static (Oncorhynchus mykiss) LC50 96 h: = 484 mg/L flow-through (Oncorhynchus mykiss) | EC50 = 1180 mg/L 5 min EC50 = 1500 mg/L 15 min EC50 = 5870 mg/L 15 min EC50 = 7400 mg/L 2 h | EC50 48 h: = 560 mg/L Static (Daphnia magna) |
| Propylene glycol monomethyl ether acetate 108-65-6 | | LC50 96 h: = 161 mg/L static (Pimephales promelas) | | EC50 48 h: > 500 mg/L (Daphnia magna) |

100P Industrial Paint Marker/100P FL/ 130P Broad Tip Industrial Paint Marker -Silver and Gold

Persistence and Degradability

No information available

| Bioaccumulation | No information available | |
|--|---|----------------------------------|
| Chemical Name n-Butyl acetate | | Log Pow 1.81 |
| Ethyl aceta | te | 0.6 |
| Propylene glycol monome | thyl ether acetate | 0.43 |
| Mobility | No information available | |
| Other Adverse Effects | No information available. | |
| | 13. DISPOSAL C | ONSIDERATIONS |
| Waste Disposal Methods | Dispose of in accordance | with local regulations. |
| Contaminated Packaging | Not Applicable | |
| | 14. TRANSPOR | FINFORMATION |
| DOT UN-Number Proper shipping name Hazard Class Packing Group Description Emergency Response Guide Number | UN1210 Printing ink 3 III UN1210, Printing ink, 3, II 129 | l, Limited Quantity |
| TDG UN-Number Proper Shipping Name Hazard Class Packing Group Description | UN1210 Printing ink 3 III UN1210, Printing ink, 3, II | l, Limited Quantity |
| MEX UN-Number Proper Shipping Name Hazard Class Packing Group Description | UN1210 Printing ink 3 III UN1210, Printing ink, 3, II | l, Limited Quantity |
| IATA UN-Number Proper Shipping Name Hazard Class Packing Group ERG Code Description | UN1210 Printing ink 3 III 3L UN1210, Printing ink, 3, II | I, Limited Quantity |
| IMDG/IMO UN-Number Proper Shipping Name Hazard Class Packing Group EmS No. Description | UN1210 Printing ink 3 III F-E, S-D UN1210, Printing ink, 3, II | l, (23°C c.c.), Limited Quantity |

15. REGULATORY INFORMATION

International Regulations

| Ozone depleting substances Persistent Organic Pollutants Hazardous Waste | Not applicable Not applicable Not applicable | |
|--|--|-------------------------------------|
| Chemical Name | | Basel Convention (Hazardous Wastes) |
| Ethyl acetate | | Y42 |
| The Rotterdam Convention (Prior Informed Consent) International Convention for the Prevention of Pollution from Ships (MARPOL) | Not applicable Not applicable | |
| International Inventories TSCA DSL/NDSL | Contact supplier for inventory compliance status Contact supplier for inventory compliance status | |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| n-Butyl acetate | 5000 lb | | | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|-----------------|--------------------------|---------------------------------------|--|
| n-Butyl acetate | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Ethyl acetate | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|-----------------|------------|---------------|--------------|----------|--------------|
| n-Butyl acetate | Х | Х | Х | | Х |
| Ethyl acetate | Х | Х | Х | | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16. OTHER INFORMATION | | | | |
|-----------------------|--|----------------|-------------------|------------------------------------|
| NFPA_ | Health Hazard 0 | Flammability 2 | Instability 0 | Physical and Chemical Hazards - |
| <u>HMIS</u> | Health Hazard 0 | Flammability 2 | Physical Hazard 0 | Personal Protection X |
| Prepared By | Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 | | | |
| Issuing Date | 25-Jul-2018 | | | |
| Revision Date | 26-Jul-2018 | | | |
| Revision Note | New regional format. | | | |

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet



Abbeon Cal, Inc., 1363 Donlon Street Unit 1, Ventura, CA 93003-8387 800-922-0977 www.Abbeon.com E-mail: abbeoncal@abbeon.com