

Version 1.0 Revision Date: 08/18/2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Methyl ethyl ketone

Product Use Descrip- : SOLVENT

tion

Manufacturer or supplier's details

Company : Nexeo Solutions LLC

Address 3 Waterway Square Place Suite 1000

Woodlands, Tx. 77380 United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648) Health International: 1-855-NEXEO4U (1-855-639-3648) Transport North America: CHEMTREC 800.424.9300

Additional Informa-

tion:

: Responsible Party: Product Safety Group

E-Mail: msds@nexeosolutions.com MSDS Requests: 1-855-429-2661 MSDS Requests Fax: 1-281-500-2370 Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Eye irritation : Category 2A

Specific target organ toxicity - single exposure

: Category 3 (Central nervous system)

GHS Label element

Hazard pictograms





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open



Version 1.0 Revision Date: 08/18/2014

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face

protection.

Potential Health Effects

Carcinogenicity:

IARC No component of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP No component of this product present at levels greater

than or equal to 0.1% is identified as a known or antic-

ipated carcinogen by NTP.

Emergency Overview

Appearance	liquid
Colour	colourless
Odour	characteristic, pleasant, acetone-like
Hazard Summary	No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
78-93-3	Methyl ethyl ketone	90 - 100

MSDS Number: 100000004346 2 / 17 Methyl ethyl ketone



Version 1.0 Revision Date: 08/18/2014

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in atten-

dance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious place in recovery position and seek

medical advice.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious per-

son.

If symptoms persist, call a physician.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains

or water courses.

No hazardous combustion products are known

Hazardous combustion

products

: No hazardous combustion products are known

Specific extinguishing

methods

: Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water sepa-

rately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regu-

lations.

For safety reasons in case of fire, cans should be

MSDS Number: 100000004346 3 / 17 Methyl ethyl ketone



Version 1.0 Revision Date: 08/18/2014

stored separately in closed containments.

Special protective equipment for firefighters

: Wear self-contained breathing apparatus for firefight-

ing if necessary.

NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains

inform respective authorities.

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regula-

tions (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before

use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in

the application area.

Take precautionary measures against static dis-

charges.

Provide sufficient air exchange and/or exhaust in work

rooms.

Container may be opened only under exhaust ventila-

tion hood.

Open drum carefully as content may be under pres-

sure.

Dispose of rinse water in accordance with local and

MSDS Number: 100000004346 4 / 17 Methyl ethyl ketone



Version 1.0 Revision Date: 08/18/2014

national regulations.

Conditions for safe sto-

rage

: No smoking.

Keep container tightly closed in a dry and well-

ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must comp-

ly with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
78-93-3	Methyl ethyl ketone	TWA	200 ppm	ACGIH
		STEL	300 ppm	ACGIH
		TWA	200 ppm 590 mg/m3	NIOSH REL
		ST	300 ppm 885 mg/m3	NIOSH REL
		TWA	200 ppm 590 mg/m3	OSHA Z-1
		TWA	200 ppm 590 mg/m3	OSHA P0
		STEL	300 ppm 885 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parame-ters	Biological specimen	Sam- pling time	Permissi- ble con- centration	Basis
Methyl ethyl ketone	78-93-3	MEK	In urine	End of shift (As soon as possible after expo- sure ceases)	2 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

MSDS Number: 100000004346 5 / 17 Methyl ethyl ketone



Version 1.0 Revision Date: 08/18/2014

required.

In the case of vapour formation use a respirator with

an approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal

processing problems.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work

place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : characteristic, pleasant, acetone-like

Odour Threshold : No data available

: No data available рΗ

Freezing Point (Freezing

Point)

: -87 °C (-125 °F)

Boiling Point (Boiling

point/boiling range)

: 79.59 °C (175.26 °F)

Flash point : -7 °C (19 °F)

Evaporation rate : 3.6

n-Butyl Acetate

2.7

Ethyl Ether

Flammability (solid, gas) : No data available

MSDS Number: 100000004346 Methyl ethyl ketone 6 / 17



Version 1.0 Revision Date: 08/18/2014

Burning rate : No data available

Upper explosion limit : 11.5 %(V)

Lower explosion limit : 1.4 %(V)

Vapour pressure : 91 mmHg @ 25 °C (77 °F)

70 mmHg @ 20 °C (68 °F)

Relative vapour density : 2.41 @ 20 °C (68 °F)

AIR=1

Relative density : 0.806 @ 20 °C (68 °F)

Density : 0.806 g/cm3 @ 20 °C (68 °F)

Bulk density : No data available

Solubility(ies)

Water solubility : partly miscible

Solubility in other sol-

vents

: Solvent: Acetone

Description: soluble

Solvent: Alcohol Description: soluble

Solvent: Benzene Description: soluble

Solvent: Ether Description: soluble

Partition coefficient: n-

octanol/water

: log Pow: 0.29

Auto-ignition temperature : 404 °C

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : 0.41 mPa.s

Viscosity, kinematic : 0.51 mm2/s



Version 1.0 Revision Date: 08/18/2014

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of

normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Avoid contact with:

Amines Ammonia Chloroform Copper Copper alloys

Halogenated compounds

Nitric acid

Strong oxidizing agents hydrogen peroxide

isocyanates strong alkalis strong bases

strong mineral acids

Hazardous decomposition

products

: carbon dioxide and carbon monoxide

toxic fumes

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

78-93-3:

Acute oral toxicity : LD50 (rat): 2,737 mg/kg

Acute inhalation toxicity : LC50 (mouse): 320 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 (rabbit): 6,480 mg/kg

Skin corrosion/irritation

Product:

MSDS Number: 100000004346 8 / 17 Methyl ethyl ketone



Version 1.0 Revision Date: 08/18/2014

Remarks: Moderate skin irritation

Components:

78-93-3:

Species: rabbit Exposure time: 24 h Result: Mild skin irritation

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Components:

78-93-3:

Species: rabbit

Result: Irritating to eyes. Exposure time: 24 h

Respiratory or skin sensitisation

Components:

78-93-3:

Test Type: Buehler Test Species: guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

78-93-3:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic acti-

vation

Method: OECD Test Guideline 471

Result: negative

: Test Type: Mammalian cell gene mutation assay Metabolic activation: with and without metabolic acti-

/ation

Method: OECD Test Guideline 476

Result: negative

: Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative



Version 1.0 Revision Date: 08/18/2014

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Test species: mouse (male and female)

Dose: 1.96 mL/kg

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity-

Assessment

: Tests on bacterial or mammalian cell cultures did not

show mutagenic effects.

Carcinogenicity

Components:

78-93-3:

Remarks: This information is not available.

Carcinogenicity - As-

sessment

: Not classifiable as a human carcinogen.

Reproductive toxicity

Components:

78-93-3:

Effects on foetal devel-

opment

: Species: rat, female

Application Route: Inhalation Dose: 400, 1000, 3000 ppm

Duration of Single Treatment: 18 d Frequency of Treatment: 7 days/week

General Toxicity Maternal: NOAEC: 1,002 ppm

Teratogenicity: NOAEC: 1,002 ppm Method: OECD Test Guideline 414

GLP: no

Reproductive toxicity -

Assessment

: Fertility classification not possible from current data.

Did not show teratogenic effects in animal experi-

ments.

STOT - single exposure

Product:

Target Organs: Central nervous system

Components:

78-93-3:

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic ef-

fects.



Version 1.0 Revision Date: 08/18/2014

STOT - repeated exposure

Product:

No data available

Components:

No data available

Aspiration toxicity

Product:

May be harmful if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

78-93-3:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,993

ma/l

Exposure time: 96 h

Toxicity to daphnia and

other aquatic inverte-

brates

: EC50 (Daphnia magna (Water flea)): 308 mg/l

Exposure time: 48 h Test Type: Immobilization

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)):

2,029 mg/l

Exposure time: 96 h

Persistence and degradability

Components:

78-93-3:

Biodegradability : Concentration: 2 mg/l



Version 1.0 Revision Date: 08/18/2014

Result: Readily biodegradable.

Biodegradation: 98 % Exposure time: 28 d

Test substance: Methylethyl Ketone

GLP: yes

Remarks: Readily biodegradable

Bioaccumulative potential

Components:

78-93-3:

Partition coefficient: n-

octanol/water

: log Pow: 2.49

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection

of Stratospheric Ozone - CAA Section 602 Class I Sub-

stances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological in-

formation

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local,

state and federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group

at 800-637-7922.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty

drum.



Safety Data Sheet

Methyl ethyl ketone

Version 1.0 Revision Date: 08/18/2014

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1193, Methyl ethyl ketone, 3, II

IMDG (International Maritime Dangerous Goods): UN1193, METHYL ETHYL KETONE, 3, II, Flash Point:-7 °C(19 °F)

DOT (Department of Transportation): UN1193, Methyl ethyl ketone, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : Flammable liquid, Moderate skin irritant, Moderate eye

irritant, Carcinogen

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methyl ethyl ketone	78-93-3	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 : Fire Hazard

Hazards Acute Health Hazard Chronic Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject

to the reporting requirements of SARA Title III,

Section 302.

SARA 313 : SARA 313: This material does not contain any chemi-

cal components with known CAS numbers that exceed the threshold (De Minimis) reporting levels estab-

lished by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).



Version 1.0 Revision Date: 08/18/2014

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

78-93-3 Methyl ethyl ketone 100 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

78-93-3 Methyl ethyl ketone 90 - 100 %

Pennsylvania Right To Know

78-93-3 Methyl ethyl ketone 90 - 100 %

New Jersey Right To Know

78-93-3 Methyl ethyl ketone 90 - 100 %

California Prop 65 This product does not contain any chemicals known to

State of California to cause cancer, birth defects, or

any other reproductive harm.

The components of this product are reported in the following inventories:

1907/2006 (EU)		n (Negative listing) (Not in compliance with the inventory)
Switzerland. New notified substances and declared preparations	:	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	:	y (positive listing) (On TSCA Inventory)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing)



Version 1.0 Revision Date: 08/18/2014

		(On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	i	y (positive listing) (On the inventory, or in compliance with the inventory)




Version 1.0 Revision Date: 08/18/2014

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legecy MSDS: 100000003236

Material number:

16056356, 16056357, 16056358, 16062129, 16056353, 16056352, 16056351, 16056350, 16056349, 16054779, 16046240, 16042921, 16025330, 16021759, 16019432, 16015617, 16014535, 16011780, 16010154, 16010153, 16003404, 753188, 744157, 744156, 744155, 743541, 737136, 732888, 71426, 105116, 89683, 710843, 554046, 554339, 554259, 710845, 710844, 699274, 675942, 659492, 659543, 609164, 604726, 602950, 573215, 554301, 554258, 554057, 554072, 546939, 547346, 56925, 55985, 55046, 106065, 105122, 104184, 89681, 72410, 88743, 73303, 56030, 72360, 56778, 72407, 55980, 88588, 105887, 88163, 88696, 104973, 55830, 105891, 56748, 106249, 105895, 105078, 72211, 57110, 158779, 503944, 500032, 20025, 20024, 20023, 20022, 20020, 20019, 20021

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%		
	ernment Industrial Hygienists				
AICS	Australia, Inventory of Chem-	LOAEL	Lowest Observed Adverse Effect		



Version 1.0 Revision Date: 08/18/2014

	ical Substances		Level	
DSL	Canada, Domestic Sub-	NFPA	National Fire Protection Agency	
DSL	stances List		National Fire Frocestion Agency	
NDSL	Canada, Non-Domestic Sub-	NIOSH	National Institute for Occupational	
	stances List		Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health Admin-	
	Scenario Tool		istration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Exist-	PICCS	Philipines Inventory of Commercial	
	ing Chemical Substances		Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reau-	
			thorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act	
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Compositon, Complex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System	
LC50		Lethal Concentration 50%		